

## Process/Product Audit Checklist

Cust #: <u>1121</u> Customer: <u>Ox BOMAS</u> GRP/Size/GRD/Width: <u>MCS/10/CSB/60 x 192</u>				
PWC: <u>661</u> W/O#: <u>106413</u> Date: <u>11.14.17</u> Part #(s): <u>1611187</u> Auditor: <u>R. Smith</u>				
Gauge Range: <u>.1165 - .1425</u> Actual Gauge: <u>.132</u> Width Range: <u>60.14 - 60.00</u> Width Actual: <u>60.85</u>				
Length Range: <u>.19215 - .19201</u> Length Actual: <u>.19225</u> Other: <u>Bow 0-.75</u> Other Actual: <u>2.75</u>				
Other: <u>NA</u> Other Actual: <u>NA</u> Other: <u>NA</u> Other Actual: <u>NA</u>				
Item	YES	NO	N/A	Comments/Action Taken (Required for NO)
Process Inspection Sheets filled out according to <u>frequency</u> and <u>sampling</u> required?	X			
Correct raw material type and size?	X			Tag(s) to use: <u>ND 64703</u> Tag(s) used: <u>ND 64703</u>
Setup performed according to W/O?	X			
Product is acceptable according to customer-specific requirements? [Fab: Is the Part Print Present & the correct Revision? Are required measurements documented?]	X			[Fab: Print Rev: _____, W/O Rev: _____, Part Spec Rev: _____] (Leave blank if non-Fab audit)
Packaging is acceptable according to customer-specific requirements?	X			<u>PLASTIC WRAPPED BOXES</u> <u>FORKLIFT UNLOAD</u>
Visual Inspection performed and product meets requirements?	X			
Out of spec noted, with actions taken?			X	
Non-conforming material put into reject warehouse and physically put into non-conforming area?			X	
Required gages available & functional?	X			
All Gages Calibrated (List in Comments)	X			<u>OMC MIC - 7.28.17 DUE 7.28.20</u> <u>Gages Observed (list last calibration and when due)</u> <u>T3033 - 10.23.17 DUE 10.23.20</u> <u>STB - 7.31.17 DUE 7.31.20</u>
Housekeeping: Machine/Floor clean? Loose tags & paperwork cleaned up?	X			
Required PPE being worn?	X			
Forms are the latest revision per Quality Intranet?	X			List Forms (Observed Rev vs Intranet Rev) <u>QAC - PSI - CTL 6.26.17 REV 4</u> <u>Rev 4</u>
Hardcopy Controlled Documents are listed on Quality Intranet by location?			X	List Documents and their Location: