

Process/Product Audit Checklist

Cust #: <u>1822</u> Customer: <u>Container Prod.</u> GRP/Size/GRD/Width: <u>HRS-1046 SS45 60</u>				
PWC: <u>SCT</u> W/O#: <u>601211</u> Date: <u>5-11-16</u> Part #(s): <u>12 GA x 60 x 78.375 / 78.125 / 38.9375</u>				
Gauge Range: <u>.0966 - .1126</u>		Actual Gauge: <u>.0995</u>		Width Range: <u>60 - 60.999</u>
Length Range: <u>78.3750 - 78.5</u>		Length Actual: <u>78.375</u>		Width Actual: <u>60.6729</u>
Other: <u>Length 38.9375 - 39.0625</u>		Other: <u>W-B-F</u>		Other Actual: <u>78.25</u>
Other: <u>39.00</u>		Other: <u>0 - .12</u>		Other Actual: <u>< .12</u>
Item	YES	NO	N/A	Comments/Action Taken (Required for NO)
Process Inspection Sheets filled out according to <u>frequency</u> and <u>sampling</u> required?	✓			Terry & Chris
Correct raw material type and size?	✓			Tag(s) to use: <u>497352</u> Tag(s) used: <u>497352</u>
Setup performed according to W/O?	✓			
Product is acceptable according to customer-specific requirements? [Fab: Is the Part Print Present & the correct Revision? Are required measurements documented?]	✓			[Fab: Print Rev: _____, W/O Rev: _____, Part Spec Rev: _____]
Packaging is acceptable according to customer-specific requirements?	✓			
Visual Inspection performed and product meets requirements?	✓			
Out of spec noted, with actions taken?	✓			Tail of coil bow down over .437 placed in SRJ.
Non-conforming material put into reject warehouse and physically put into non-conforming area?	✓			Tag# 498 498138 26 sheets @ 1805 lbs.
Required gages available & functional?	✓			
All Gages Calibrated (List in Comments)	✓			Gages Observed (list last calibration and when due) 03-03 25' Tape 5-5-16 5-5-17 CL2 25' Tape 10-29-15 10-29-16 M-50 1" mic 4-5-16 4-5-17 ST-5 Step Gauge 7-7-15 7-7-16 63294 MEAS. TAPE 4-24-16 4-26-17
Housekeeping: Machine/Floor clean?	✓			
Loose tags & paperwork cleaned up?	✓			
Required PPE being worn?	✓			
Forms are the latest revision per Quality Intranet?	✓			List Forms (Observed Rev vs Intranet Rev) SMT-CTL-001 6-12-12 3 FOP081 2-16-01 1 Jm-OP-001 4-21-15 0
Hardcopy Controlled Documents are listed on Quality Intranet by location?			✓	List Documents and their Location: