

## Process/Product Audit Checklist

Cust #: <u>3353</u> Customer: <u>HILL STREET</u> GRP/Size/GRD/Width: <u>HRG/250/5550/59.5/120</u>				
PWC: <u>881</u> W/O#: <u>138583</u> Date: <u>5.19.21</u> Part #(s): <u>RM025D-12000</u> Auditor: <u>B. SMITH</u>				
Gauge Range: <u>235 - 250</u> Actual Gauge: <u>234</u> Width Range: <u>60.5 - 59.5</u> Width Actual: <u>60</u>				
Length Range: <u>120.50 - 120</u> Length Actual: <u>120.25</u> Other: <u>LOW .50</u> Other Actual: <u>&gt;.50</u>				
Other: <u>N/A</u> Other Actual: <u>N/A</u> Other: <u>N/A</u> Other Actual: <u>N/A</u>				
Item	YES	NO	N/A	Comments/Action Taken (Required for NO)
Process Inspection Sheets filled out according to <u>frequency</u> and <u>sampling</u> required?	X			
Correct raw material type and size?	X			Tag(s) to use: <u>N/D 70537</u> Tag(s) used: <u>N/D 70537</u>
Setup performed according to W/O?	X			
Product is acceptable according to customer-specific requirements? [Fab: Is the Part Print Present & the correct Revision? Are required measurements documented?]	X			[Fab: Print Rev: _____, W/O Rev: _____, Part Spec Rev: _____] (Leave blank if non-Fab audit)
Packaging is acceptable according to customer-specific requirements?	X			<u>GREEN PAINT MARK - OK</u> <u>PART # WRITTEN ON TOP - OK</u>
Visual Inspection performed and product meets requirements?	X			
Out of spec noted, with actions taken?			X	
Non-conforming material put into reject warehouse and physically put into non-conforming area?			X	
Required gages available & functional?	X			
All Gages Calibrated (List in Comments)	X			<u>014 - 2.22.20 DUE 2.22.22</u> Gages Observed (list last calibration and when due) <u>T1027 - 7.30.20 DUE 7.30.21</u> <u>3305 - 1.22.21 DUE 7.22.21</u>
Housekeeping: Machine/Floor clean? Loose tags & paperwork cleaned up?	X			
Required PPE being worn?	X			
Forms are the latest revision per Quality Intranet?	X			List Forms (Observed Rev vs Intranet Rev) <u>DEL - 881 - CTL REV 4 VS REV 4</u>
Hardcopy Controlled Documents are listed on Quality Intranet by location?			X	List Documents and their Location: