

## Process/Product Audit Checklist

Cust #: <u>3070</u> Customer: <u>HILL PHOENIX</u> GRP/Size/GRD/Width: <u>GVS/24D/CIS40CD</u>				
PWC: <u>LBI</u> W/O#: <u>20601</u> Date: <u>01/02/21</u> Part #(s): <u>F858578AGL</u> Auditor: <u>N. RAGLAND</u>				
Gauge Range: <u>.026 - .030</u> Actual Gauge: <u>.026</u> Width Range: <u>2.22 - 2.28</u> Width Actual: <u>2.258</u>				
Length Range: <u>89.970 - 90.03</u> Length Actual: <u>90</u> <sup>2ND LEG</sup> Other: <u>3.002 - 3.002</u> Other Actual: <u>3.037</u>				
Angle Other: <u>89° - 91°</u> Other Actual: <u>90°</u> Other: <u>N/A</u> Other Actual: <u>N/A</u>				
Item	YES	NO	N/A	Comments/Action Taken (Required for NO)
Process Inspection Sheets filled out according to <u>frequency</u> and <u>sampling</u> required?	✓			OPERATOR: <u>RODERICK JOHNSON</u>
Correct raw material type and size?	✓			Tag(s) to use: <u>46987</u>  Tag(s) used: <u>46987</u>
Setup performed according to W/O?	✓			
Product is acceptable according to customer-specific requirements? [Fab: Is the Part Print Present & the correct Revision? Are required measurements documented?]	✓			[Fab: Print Rev: <u>0</u> , W/O Rev: <u>0</u> , Part Spec Rev: <u>0</u> ] (Leave blank if non-Fab audit)
Packaging is acceptable according to customer-specific requirements?	✓			
Visual Inspection performed and product meets requirements?	✓			
Out of spec noted, with actions taken?			✓	
Non-conforming material put into reject warehouse and physically put into non-conforming area?			✓	
Required gages available & functional?	✓			
All Gages Calibrated (List in Comments)	✓			Gages Observed (list last calibration and when due) TP054 01/21 - 01/22 PROTRACTOR 048 01/21 - 01/22 LB-1 01/21 - 01/22
Housekeeping: Machine/Floor clean? Loose tags & paperwork cleaned up?	✓			
Required PPE being worn?	✓			
Forms are the latest revision per Quality Intranet?	✓			List Forms (Observed Rev vs Intranet Rev) GAD 054 REV 0 LYN-PB-001 REV 2
Hardcopy Controlled Documents are listed on Quality Intranet by location?			✓	List Documents and their Location: