Process/Product Audit Checklist

				5):WOC7B1764 Auditor:N. TRAGLAND
Gauge Range: <u>ひ は75 サ/- ・ ^{O VO} Actual G</u> au	ge: <u>0 .</u> 1	81	V	/idth Range: 13.13% +/030 Width Actual: 13.138
Length Range: 84 +1030 Length Actu	al: <u>84</u>	.000	0	ther: <u>. \$75 4/030</u> Other Actual: <u>. \$76</u>
Other: <u>N/A</u> Other Actual: N	(A		Other	N/A Other Actual:μ/Δ
Item	YES	NO	N/A	Comments/Action Taken (Required for NO)
Process Inspection Sheets filled out according to <u>frequency</u> and <u>sampling</u> required?	蹇	√		NO PART NUMBER ON GAD 059 FORM DISCUSSED WITH OPERATOR
Correct raw material type and size?	/			Tag(s) to use: <u> </u>
Setup performed according to W/O?	/	- 1		
Product is acceptable according to customer-specific requirements? [Fab: Is the Part Print Present & the correct Revision? Are required measurements documented?]	√			[<u>Fab:</u> Print Rev: <u>O</u> , W/O Rev: <u>O</u> Part Spec Rev: <u>O</u>] (Leave blank if non-Fab audit)
Packaging is acceptable according to customer-specific requirements?	/			
Visual Inspection performed and product meets requirements?	/			
Out of spec noted, with actions taken?			1	
Non-conforming material put into reject warehouse and physically put into non-conforming area?			1	
Required gages available & functional?	~			
All Gages Calibrated (List in Comments)	/			Gages Observed (list last calibration and when due) CP- (4/24 - 7/24 NG-LS- (4/24 - 7/24 TP 62 4/24 - 7/24
Housekeeping: Machine/Floor clean? Loose tags & paperwork cleaned up?	/			
Required PPE being worn?	1			
Forms are the latest revision per Quality Intranet?	/			List Forms (Observed Rev vs Intranet Rev) LYN -LA-001 REV 3
Hardcopy Controlled Documents are listed on Quality Intranet by location?			1	List Documents and their Location: