July 17

**Process/Product Audit Checklist** 

Cust # 3070 Customer: Hill Thoerix GRP/Size/GRD/Width: GVS/18B/CB6000				
PWC: 48 W/O#: 4548 Date: 7/88/17 Part #(s): PO63358K Auditor: DEAN B.				
Gauge Range .01700717 Actual Gauge .019 Width Range: 49.783-49.847 Width Actual: 49.837				
Length Range: 179.245-180.495 Length Actual: 179.875 Other: UK Other Actual: UK				
Other: Other Actual:	7	Laro	Other:	
Process Inspection Sheets filled out	YE5	NO	N/A	Comments/Action Taken (Required for NO)
according to frequency and sampling	1			
required?	1	a contract	ļ	
V/ 9702 - 20 - 24		/		Tag(s) to use: NL 3/76
	1	1		
Correct raw material type and size?	V			Tag(s) used: NI 3/76
100,075		1		194 - 227 (200)
		<i>Y</i>		
Setup performed according to W/O?	1	1		
		/		
Product is acceptable according to		Y		
customer-specific requirements?	1			
[Fab: Is the Part Print Present & the	127	1		
correct Revision? Are required		1		[Fab: Print Rev, W/O Rev:, Part Spec
measurements documented?]		/		Rev: (Leave blank if non-Fab audit)
Packaging is acceptable according to	1. /	1		· · · · · · · · · · · · · · · · · · ·
customer-specific requirements?	IV		1	
Visual Inspection performed and	/	1-		
product meets requirements?	V			
	_		/	
Out of spec noted, with actions taken?			10	
Non-conforming material put into reject			1	
warehouse and physically put into non-			V	
conforming area?		/		Level
Required gages available & functional?	1/			
and the second s		1		
		/	1	
Aller - engl Inner	1	ľ		Gages Observed (list last calibration and when due)
All Gages Calibrated (List in Comments)	V			Mic 039 7/17 Thru 8/17
The state of the s				Gages Observed (list last calibration and when due)  Mic 039 7/17 Thru 8/17  The 01 1/17 Thru 7/17
		/		1119e 01 1/11/11/11/11/11
Housekeeping: Machine/Floor clean?	1		- 1	1858
Loose tags & paperwork cleaned up?				
Required PPE being worn?	V	20.00		
, , , , , , , , , , , , , , , , , , , ,		7		List Forms (Observed Rev vs Intranet Rev)
Forms are the latest revision per Quality	/			
Intranet?	V			Lyn-F-001
				271 1 - 0 - 1
	1			List Documents and their Location:
Hardcopy Controlled Documents are	V			
listed on Quality Intranet by location?				Lyn-F-001-Server
		L		