

Process/Product Audit Checklist

Cust #: <u>3418</u> Customer: <u>Freight Car America</u> GRP/Size/GRD/Width: <u>HRS/7B/157250/33.625 x 18.00</u>				
PWC: <u>LL1</u> W/O#: <u>7118</u> Date: <u>7/5/18</u> Part #(s): <u>M113172-003</u> Auditor: <u>Z. Delp</u>				
Gauge Range: <u>.1795-.1950</u> Actual Gauge: <u>.180</u> Width Range: <u>33.678⁺/.008</u> Width Actual: <u>33.718</u>				
Length Range: <u>118⁺/.060</u> Length Actual: <u>118</u> Other: <u>.688⁺/.031</u> Other Actual: <u>.677</u>				
Other: <u>—</u> Other Actual: <u>—</u> Other: <u>—</u> Other Actual: <u>—</u>				
Item	YES	NO	N/A	Comments/Action Taken (Required for NO)
Process Inspection Sheets filled out according to <u>frequency</u> and <u>sampling</u> required?	✓			
Correct raw material type and size?	✓			Tag(s) to use: <u>175524</u> Tag(s) used: <u>175524</u>
Setup performed according to W/O?	✓			
Product is acceptable according to customer-specific requirements? (<u>Fab</u> : Is the Part Print Present & the correct Revision? Are required measurements documented?)	✓			[<u>Fab</u> : Print Rev: <u>—</u> , W/O Rev: <u>—</u> , Part Spec Rev: <u>—</u>] (Leave blank if non-Fab audit)
Packaging is acceptable according to customer-specific requirements?			✓	Finished packaging will not occur until next process
Visual Inspection performed and product meets requirements?	✓			
Out of spec noted, with actions taken?			✓	No out of spec
Non-conforming material put into reject warehouse and physically put into non-conforming area?			✓	No non-conforming
Required gages available & functional?	✓			
All Gages Calibrated (List in Comments)	✓			Gages Observed (list last calibration and when due) 046 tape 1/18 Due 7/18 045 mics 1/18 Due 7/18 161156625 calipers 5/18 Due 11/18
Housekeeping: Machine/Floor clean? Loose tags & paperwork cleaned up?	✓			
Required PPE being worn?	✓			
Forms are the latest revision per Quality Intranet?			✓	List Forms (Observed Rev vs Intranet Rev) No forms @ LL1
Hardcopy Controlled Documents are listed on Quality Intranet by location?			✓	List Documents and their Location: No controlled docs @ LL1

Calibrated
7/9/18
Z.D.D.